

Serological Pipette

(#91001/91002/91005/91010/91025/91050/95001/95002/95005/95010/95025/95050/93001/93002/93005/93010/93025/93050/91110)

1. Description

SPL Serological pipettes are classified by sample volume. Ascending & descending scales facilitate reading of both dispensing and remaining volume.

2. Features

- ❖ Six different volume
- ❖ Quick & easy identification
- ❖ Various packaging methods
- ❖ Cuttingtop pipette for viscous liquid handling (Cat.No. 91110)

3. Functional Test

Sterility	:	Passed
Cytotoxicity	:	Passed
Non-Pyrogenic	:	Passed
Graduation Accuracy	:	Passed (Volumetric accuracy \pm 2%)
RNase/DNase free	:	Passed
DNA free	:	Passed

4. Product Range

Individual packaging-Inbox

Cat.No.	Material	Color Code	Working Volume (ml)	Sterile	Packaging
91001	PS	Yellow	1.00	+	1 / 200 / 800
91002	PS	Green	2.00	+	1 / 150 / 600
91005	PS	Blue	5.00	+	1 / 100 / 400
91010	PS	Orange	10.00	+	1 / 100 / 400
91025	PS	Red	25.00	+	1 / 50 / 200
91050	PS	Purple	50.00	+	1 / 40 / 160

Individual packaging -Bulk

Cat.No.	Material	Color Code	Working Volume (ml)	Sterile	Packaging
95001	PS	Yellow	1.00	+	1 / 200 / 800
95002	PS	Green	2.00	+	1 / 150 / 600
95005	PS	Blue	5.00	+	1 / 100 / 400
95010	PS	Orange	10.00	+	1 / 100 / 400
95025	PS	Red	25.00	+	1 / 50 / 200
95050	PS	Purple	50.00	+	1 / 40 / 160

SPL-TDS-SRP

For Research Use Only. Not intended for use in diagnostic or therapeutic procedures.
© SPL Life Sciences Co., Ltd., Version 6, July 19nd, 2016

Bulk packaging

Cat.No.	Material	Color Code	Working Volume (ml)	Sterile	Packaging
93001	PS	Yellow	1.00	+	50 / 1000
93002	PS	Green	2.00	+	50 / 1000
93005	PS	Blue	5.00	+	50 / 500
93010	PS	Orange	10.00	+	50 / 500
93025	PS	Red	25.00	+	25 / 200
93050	PS	Purple	50.00	+	25 / 200

Cuttingtop Pipette

Cat.No.	Material	Color Code	Working Volume (ml)	Sterile	Packaging
91110	PS	Orange	10.00	+	1 / 100 / 400

5. Certification

SPL Life Sciences hereby certifies that the product identified above, inspected to be in compliance with product quality specification and requirements as documented in our ISO 9001:2015 Quality Management System (K-QA-Q031478) in Korea.


6. Specifications & Technical Drawing

(1) 1 ml (# 91001, 95001, 93001)

- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	277.00 mm	Crystal-grade polystyrene (PS)	#91001	#95001	#93001
Diameter:	4.60 mm		• Pieces/Sleeve: 1	• Pieces/Sleeve: 1	• Pieces/Sleeve: 50
Volume:	1.00 ml		• Pieces/Inbox: 200	• Pieces/Vinyl: 200	• Pieces/Case: 1000
Volumetric Accuracy:	± 2%		• Pieces/Case: 800	• Pieces/Case: 800	

- Technical Drawing




(2) 2 ml (# 91002, 95002, 93002)

- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	277.00 mm	Crystal-grade polystyrene (PS)	#91002	#95002	#93002
Diameter:	6.40 mm		• Pieces/Sleeve: 1	• Pieces/Sleeve: 1	• Pieces/Sleeve: 50
Volume:	2.00 ml		• Pieces/Inbox: 150	• Pieces/Vinyl: 150	• Pieces/Case: 1000
Volumetric Accuracy:	± 2%		• Pieces/Case: 600	• Pieces/Case: 600	

- Technical Drawing




3) 5 ml (# 91005, 95005, 93005)

- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	338.00 mm	Crystal-grade polystyrene (PS)	#91005	#95005	#93005
Diameter:	8.30 mm		• Pieces/Sleeve: 1	• Pieces/Sleeve: 1	• Pieces/Sleeve: 50
Volume:	5.00 ml		• Pieces/Inbox: 100	• Pieces/Vinyl: 100	• Pieces/Case: 500
Volumetric Accuracy:	± 2%		• Pieces/Case: 400	• Pieces/Case: 400	

- Technical Drawing




SPL-TDS-SRP

For Research Use Only. Not intended for use in diagnostic or therapeutic procedures.
© SPL Life Sciences Co., Ltd., Version 6, July 19nd, 2016

(4) 10 ml (# 91010, 95010, 93010)
- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	338.00 mm	Crystal-grade polystyrene (PS)	#91010	#95010	#93010
Diameter:	9.90 mm		▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 50
Volume:	10.00 ml		▪ Pieces/Inbox: 100	▪ Pieces/Vinyl: 100	▪ Pieces/Case: 500
Volumetric Accuracy:	± 2%		▪ Pieces/Case: 400	▪ Pieces/Case: 400	


- Technical Drawing



(5) 25 ml (# 91025, 95025, 93025)
- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	343.00 mm	Crystal-grade polystyrene (PS)	#91025	#95025	#93025
Diameter:	14.60 mm		▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 25
Volume:	25.00 ml		▪ Pieces/Inbox: 50	▪ Pieces/Vinyl: 50	▪ Pieces/Case: 200
Volumetric Accuracy:	± 2%		▪ Pieces/Case: 200	▪ Pieces/Case: 200	


- Technical Drawing



(6) 50 ml (# 91050, 95050, 93050)
- Specifications

Dimensions		Material (Resin)	Packaging		
Length:	343.00 mm	Crystal-grade polystyrene (PS)	#91050	#95050	#93050
Diameter:	18.60 mm		▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 1	▪ Pieces/Sleeve: 25
Volume:	50.00 ml		▪ Pieces/Inbox: 40	▪ Pieces/Vinyl: 40	▪ Pieces/Case: 200
Volumetric Accuracy:	± 2%		▪ Pieces/Case: 160	▪ Pieces/Case: 160	

- Technical Drawing



SPL-TDS-SRP

For Research Use Only. Not intended for use in diagnostic or therapeutic procedures.
© SPL Life Sciences Co., Ltd., Version 6, July 19th, 2016




(7) Cutting Top pipette 10 ml (# 91110)

- Specifications

Dimensions		Material (Resin)	Packaging
Length:	335.00 mm	Crystal-grade polystyrene (PS)	<ul style="list-style-type: none"> ▪ Pieces/Sleeve: 1 ▪ Pieces/Inbox: 100 ▪ Pieces/Case: 400
Diameter:	9.90 mm		
Volume:	10.00 ml		
Volumetric Accuracy:	± 2%		

- Technical Drawing



www.spllifesciences.com

For technical assistance, contact SPL R&D Center at:

Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: spl@ispl.co.kr

To place an order, contact your local distributor or

Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: business@ispl.co.kr

SPL-TDS-SRP

For Research Use Only. Not intended for use in diagnostic or therapeutic procedures.
© SPL Life Sciences Co., Ltd., Version 6, July 19nd, 2016